



**SDS No: 710** Version: V.0.0.3

## **TelChem Salt-Shock**

# **Cromag Pty Ltd**

Safety Data Sheet according to WHS and ADG requirements

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

## **Product Identifier**

Product name	TelChem Salt-Shock	
Chemical Name	Sodium Dichloroisocyanurate Anhydrous	
Synonyms	SDIC; Sodium dichloro-s-triazine trione; Dichloroisocyanuric acid, sodium salt; Stabilised pool chlorine	
Proper shipping name	DICHLOROISOCYANURIC ACID SALTS	
Chemical formula	C <sub>3</sub> Cl <sub>2</sub> N <sub>3</sub> O <sub>3</sub> .Na	
Other means of identification	Not Available	

### Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified Uses Outdoor swimming pool disinfectant, Water and sewage treatment, Replacement for calcium hy	pochlorite
---	------------

## Details of the supplier of the safety data sheet

0N	One of the last tradition of Talkard Industrial and Course Observable	
Company Name	Cromag Pty Ltd trading as Telford Industries and Sigma Chemicals	
Address	7 Valentine Street Kewdale WA 6105 Australia	
Telephone	+61 8 9353 2053	
Website	www.telfordindustries.com.au / www.sigmachemicals.com.au	
Email	info@telfordindustries.com.au / info@sigmachemicals.com.au	

## **Emergency telephone number**

Association/Organisation	Not Available	
Emergency telephone numbers	DFES: 000 (HAZMAT EMERGENCIES)	
Other Emergency telephone numbers	POISONS: 13 11 26	

### **SECTION 2 HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	S6	
Classification	Oxidizing Solid Category 2, Acute Toxicity (Oral) Category 4, Acute Toxicity (Inhalation) Category 4, Eye Irritation Category 2A, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation),	
	Acute Aquatic Toxicity Category 1, Chronic Aquatic Toxicity Category 1	

### **Label Elements**

GHS label elements	<b>!</b> ₩
SIGNAL WORD	DANGER





SDS No: 710 Version: V.0.0.3

## Hazard statement(s)

H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.

# Precautionary statement(s) Prevention

P210	Keep away from heat. No smoking.	
P220	Keep and store away from clothing, incompatible materials and combustible materials.	
P260	Do not breathe dust or mist.	
P264	Wash hands thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P285	In case of inadequate ventilation wear respiratory protection.	

# Precautionary statement(s) Response

P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.	
P310	Immediately call a POISON CENTER or doctor/physician.	
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P330	Rinse mouth.	
P370 + P378	In case of fire: Use dry chemical alcohol resistant foam or dry sand for extinction.	
P391	Collect spillage.	

## Precautionary statement(s) Storage

P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	

## Precautionary statement(s) Disposal

P501	Dispose of contents/container in accordance with local regulations.
------	---

# **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

### **Substances**

CAS No	% [weight]	Name
2893-78-9	100	Sodium dichloroisocyanurate (630 g/kg available chlorine)





**SDS No: 710** Version: V.0.0.3

### **SECTION 4 FIRST AID MEASURES**

#### **Description of first aid measures**

	If this product comes in contact with the eyes:
	Immediately hold eyelids apart and flush the eye continuously with running water.
	> Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the
	eyelids by occasionally lifting the upper and lower lids.
Eye Contact	> Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15
	minutes.
	> Transport to hospital or doctor without delay.
	Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
	If skin or hair contact occurs:
	Immediately flush body and clothes with large amounts of water, using safety shower if available.
	Quickly remove all contaminated clothing, including footwear.
Skin Contact	Wash skin and hair with running water. Continue flushing with water until advised to stop by the
	Poisons Information Centre.
	Transport to hospital, or doctor.
	If fumes or combustion products are inhaled remove from contaminated area.
	Lay patient down. Keep warm and rested.
	Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to
Inhalation	initiating first aid procedures.
	Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask
	device, or pocket mask as trained. Perform CPR if necessary.
	Transport to hospital, or doctor, without delay.
	For advice, contact a Poisons Information Centre or a doctor at once.
	Urgent hospital treatment is likely to be needed.
	> If swallowed do NOT induce vomiting.
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to
	maintain open airway and prevent aspiration.
Ingestion	Observe the patient carefully.
	Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably
	drink.
	Transport to hospital or doctor without delay.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Delayed effects from exposure to chlorine (decomposition product) can include shortness of breath, severe headache, pulmonary oedema and pneumonia.

## **SECTION 5 FIREFIGHTING MEASURES**

### **Extinguishing Media**

### FOR SMALL FIRE:

- USE FLOODING QUANTITIES OF WATER
- DO NOT use dry chemical, CO<sub>2</sub>, foam or halogenated-type extinguishers.

### FOR LARGE FIRE:

> Flood fire area with water from a protected position

## Special hazards arising from the substrate or mixture

	Non combustible, but will support combustion of other materials. Oxidizing substance. Decomposes on heating emitting toxic fumes including those of chlorine and hydrogen chloride.		
Fire Incompatibility	<ul> <li>Avoid storage with reducing agents.</li> <li>Avoid any contamination of this material as it is very reactive and any contamination is potentially hazardous.</li> </ul>		





SDS No: 710 Version: V.0.0.3

## Advice for firefighters

	Alert Fire Brigade and tell them location and nature of hazard.			
	May be violently or explosively reactive.			
	Wear full body protective clothing with breathing apparatus.			
	Prevent, by any means available, spillage from entering drains or water course.			
Fire Fighting	Consider evacuation (or protect in place).			
	Use water to control fire and cool adjacent area.			
	Do not approach containers suspected to be hot.			
	Cool fire exposed containers with water spray from a protected location.			
	If safe to do so, remove containers from path of fire.			
	Dry dust can be charged electrostatically by turbulence, pneumatic transport, pouring, in			
	exhaust ducts and during transport.			
	Build-up of electrostatic charge may be prevented by bonding and grounding.			
	Powder handling equipment such as dust collectors, dryers and mills may require additional protection			
	measures such as explosion venting.			
	All movable parts coming in contact with this material should have a speed of less than 1-meter/sec.			
	Combustion products include:			
Fire/Explosion Hazard	> carbon monoxide (CO)			
	> carbon monoxide (CO)			
	> hydrogen chloride			
	> phosgene			
	➤ nitrogen oxides (NO <sub>x</sub> )			
	Other pyrolysis products typical of burning organic material.			
	Contains low boiling substance: Closed containers may rupture due to pressure buildup under fire conditions.			
HAZCHEM	1W			

### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

See section 12

## Methods and material for containment and cleaning up

	No smoking, naked lights, ignition sources.		
	Avoid all contact with any organic material including fuel, solvents, sawdust, paper or cloth and other incompatible materials, as ignition may result.		
	Avoid breathing dust or vapours and all contact with skin and eyes.		
	Control personal contact with the substance, by using protective equipment.		
Minor Spills	Scoop up solid residues and seal in labelled drums for disposal.		
	> Neutralise/decontaminate area.		
	Clean up all spills immediately.		
	> Wipe up.		
	Place in a suitable, labelled container for waste disposal.		
	Clear area of personnel and move upwind.		
	Alert Fire Brigade and tell them location and nature of hazard.		
	May be violently or explosively reactive.		
	Consider evacuation.		
Major Spills	> Increase ventilation.		
ajo: opo	Wear full body protective clothing with breathing apparatus.		
	NEVER use organic absorbents such as sawdust, paper and clothes; as fire may result.		
	Prevent, by any means available, spillage from entering drains or water course.		
	> Collect recoverable product into labelled containers for recycling.		





SDS No: 710 Version: V.0.0.3

>	Collect solid residues and seal in labelled drums for disposal.
>	DO NOT mix fresh with recovered material.
>	Wash area and prevent runoff into drains.
>	After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using.
>	If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## **SECTION 7 HANDLING AND STORAGE**

# **Precautions for safe handling**

	> Avoid all personal contact, including inhalation.
	Provide adequate ventilation.
	Keep material away from light, heat, flammables or combustibles.
	Keep cool, dry and away from incompatible materials.
	Wear protective clothing when risk of exposure occurs.
	Avoid smoking, naked lights or ignition sources.
	> Avoid contact with incompatible materials.
	> When handling, DO NOT eat, drink or smoke.
Safe handling	Keep containers securely sealed when not in use.
Caro nananng	Avoid physical damage to containers.
	> Always wash hands with soap and water after handling.
	> Work clothes should be laundered separately. Launder contaminated clothing before re-use.
	> Use good occupational work practice.
	> Observe manufacturer's storage and handling recommendations contained within this SDS.
	> Atmosphere should be regularly checked against established exposure standards to ensure safe
	working conditions are maintained.
	> Ensure an eye bath and safety shower are available and ready for use.
	> Store in original containers.
	Keep containers securely sealed as supplied.
	> Store in a cool, well ventilated area.
	➤ Keep dry.
Other Information	> Store under cover and away from sunlight.
	> Store away from flammable or combustible materials, debris and waste. Contact may cause fire or
	violent reaction.
	Store away from incompatible materials and foodstuff containers.
	Protect containers against physical damage and check regularly for leaks.

# Conditions for safe storage, including any incompatibilities

	Glass container is suitable for laboratory quantities.
	DO NOT use aluminium, galvanised or tin-plated containers.
	DO NOT use unlined steel containers.
Suitable Container	DO NOT repack. Use containers supplied by manufacturer only.
	Plastic pail.
	Packing as recommended by manufacturer.
	Check all containers are clearly labelled and free from leaks.
	<ul> <li>Contact with acids produces toxic fumes of Chlorine.</li> </ul>
	Reacts explosively with acetylene, boron, diborane, or other boron hydrides at ordinary temperatures
	<ul> <li>Forms explosive mixtures with gasoline and petroleum products, such as mineral oil, , greases,</li> </ul>
	phosphorus, silicones, turpentine, finely divided metals, organic compounds
Storage Incompatibility	Avoid storage of dichloroisocyanurate with ammonia, urea or similar nitrogen containing compounds,
	inorganic reducing compounds, calcium hypochlorite, alkalis and water.
	Corrosive to most metals in the presence of moisture.
	Segregate from alcohol, water.
	Avoid strong bases.





SDS No: 710 Version: V.0.0.3

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Control parameters**

# **OCCUPATIONAL EXPOSURE LIMITS (OEL)**

### **INGREDIENT DATA**

Source	Ingredient	Material Name	TWA	STEL	Peak	Notes
Australia Exposure Standards	Chlorine	Chlorine	Not Available	3 mg/m3 (1 ppm)	Not Available	Not Available

### **EMERGENCY LIMITS**

Ingredient	Material Name	TEEL-1	TEEL-2	TEEL-3
Chlorine	Chlorine	Not Available	Not Available	Not Available

Ingredient	Original IDLH	Revised IDLH
Sodium dichloroisocyanurate	Not Available	Not Available
Chlorine	30 ppm	10 ppm

## **MATERIAL DATA**

### **Exposure controls**

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.  Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction.  Exhaust ventilation should be designed to prevent accumulation and recirculation of particulates in the workplace.		
Personal Protection			
Eye and Face protection	<ul> <li>Chemical goggles whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted.</li> <li>Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes.</li> <li>Alternatively a gas mask may replace splash goggles and face shields.</li> </ul>		
Skin protection	See Hand protection below		
Hands/feet protection	<ul> <li>Elbow length PVC gloves</li> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>Wear safety footwear or safety gumboots, e.g. Rubber</li> <li>When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.</li> <li>Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).</li> </ul>		
Body protection	See Other protection below		
Other protection	<ul> <li>Overalls.</li> <li>PVC Apron.</li> <li>PVC protective suit may be required if exposure severe.</li> <li>Eyewash unit.</li> <li>Ensure there is ready access to a safety shower.</li> </ul>		
Thermal hazards	Not Available		





**SDS No: 710** Version: V.0.0.3

### **Respiratory protection**

Type B-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

## **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Appearance	Crystalline Powder or Granules		
Physical state	Solid	Molecular weight (g/mole)	220
Odour	Slight Chlorine	Evaporation rate	Not Available
Odour threshold	Not Available	Flammability	Not Applicable
Relative density (water=1)	~ 1	Upper Explosive Limit (%)	Not Applicable
Colour	White	Lower Explosive Limit (%)	Not Applicable
pH (as supplied)	5.5 - 7 (1% Solution)	Vapour pressure (kPa)	Not Available
Melting point/Freezing point (°C)	230 – 250	Solubility in water (g/L)	230 – 250 @ 25° C
Initial boiling point and boiling range (°C)	Not Available	Vapour density (Air = 1)	Not Available

### **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7		
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable under normal handling conditions.</li> <li>Prolonged exposure to heat is not recommended.</li> </ul>		
	> Hazardous polymerisation will not occur.		
Possibility of hazardous reactions	See section 7		
Conditions to avoid	See section 7		
Incompatible materials	See section 7		
Hazardous decomposition products	See section 5		

### **SECTION 11 TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects

Inhaled	Inhalation of dusts, generated by the material, during the course of normal handling, may be harmful.  Chlorine vapour is extremely irritating to the upper respiratory tract and lungs. The vapour may displace and replace air in breathing zone. Inhalation of the vapour is hazardous and may even be fatal.
Ingestion	Accidental ingestion of the material may be harmful. Ingestion of dichloroisocyanurate will give rise to corrosive attack on the mouth, oesophagus and internal organs and may result in weakness, lethargy, tremors, salivation, lachrymation and possible coma.
Skin Contact	The material produces severe skin irritation. Prolonged contact is unlikely, given the severity of response, but repeated exposures may produce severe ulceration. Open cuts, abraded or irritated skin should not be exposed to this material. Solution of material in moisture on the skin, or perspiration, may increase irritant effects Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	Evidence exists, or practical experience predicts, that the material may cause eye irritation in a substantial number of individuals and/or may produce significant ocular lesions which are present twenty-four hours or more after





**SDS No: 710** Version: V.0.0.3

	instillation into the eye(s) of experimental animals. Repeated or prolonged eye contact may cause inflammation characterised by a temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision and/or other transient eye damage/ulceration may occur.	
Chronic	Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Long term exposure to high dust concentrations may cause changes in lung function (i.e. Pneumoconiosis) caused by particles less than 0.5 micron penetrating and remaining in the lung. Reduced respiratory capacity may result from chronic low level exposure to chlorine gas. Chronic poisoning may result in coughing, severe chest pains, sore throat and haemoptysis (bloody sputum).	
	The chlorinated isocyanurate have low acute oral and dermal toxicity but are very irritating to the eyes, They are very mild skin irritants and are not considered to be skin sensitizers.	

Product Name	TOXICITY	IRRITATION
	Dermal (rat) LD50: >5000 mg/kg <sup>[1]</sup>	Eye (rabbit): 10 mg/24hr-moderate
sodium	Inhalation (rat) LC50: 293 ppm/1 hour <sup>[2]</sup>	Skin (rabbit) : Severe
dichloroisocyanurate	Oral (rat) LD50: 700 mg/kg <sup>[2]</sup>	
	Dermal (rabbit) LD50: >10000 mg/kg <sup>[1]</sup>	Not Available
chlorine	Inhalation (rat) LC50: 293 ppm/1hr <sup>[2]</sup>	
	Oral (rat) LD50: >237 mg/kg <sup>[1]</sup>	

<sup>1.</sup> Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.\* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS -Register of Toxic Effect of chemical Substances

#### sodium dichloroisocyanurate

The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The material may produce severe skin irritation after prolonged or repeated exposure, and may produce a contact dermatitis (non allergic). Histologically there may be intercellular oedema of the epidermis. Prolonged contact is unlikely, given the severity of response, but repeated exposures may produce severe ulceration.

Acute Toxicity	✓	Carcinogenicity	0
Skin Irritation/Corrosion	✓	Reproductivity	0
Serious Eye Damage/Irritation	✓	STOT – single exposure	✓
Respiratory or Skin sensitisation	0	STOT – repeated exposure	0
Mutagenicity	0	Aspiration Hazard	0

Legend:

- X Data available but does not fill the criteria for classification
- ✓ Data required to make classification available

### **SECTION 12 ECOLOGICAL INFORMATION**

### **Toxicity**

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
sodium dichloroisocyanurate	LC50	96	Fish	0.217mg/L	4
sodium dichloroisocyanurate	EC50	48	Crustacean	0.11mg/L	4
sodium dichloroisocyanurate	EC50	48	Crustacean	0.15mg/L	4
sodium dichloroisocyanurate	NOEC	48	Crustacean	<0.062mg/L	1
chlorine	LC50	96	Fish	0.014mg/L	4
chlorine	EC50	48	Crustacean	0.026mg/L	2
chlorine	EC50	96	Algae or other aquatic plants	ca.0.1- ca.0.4mg/L	2
chlorine	EC50	24	Crustacean	0.0186mg/L	4

 $<sup>\</sup>mathcal{O}-$  Data Not Available to make classification





SDS No: 710 Version: V.0.0.3

chlorine	NOEC	360	Fish	0.014mg/L	2
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN  Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard				
Legena.	Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

### **Ecotoxicity**

Chlorine has high acute toxicity to aquatic organisms;

DO NOT discharge into sewer or waterways.

## Persistence and degradability

No Data available for all ingredients.

### Bio accumulative potential

No Data available for all ingredients.

#### **Mobility in Soil**

No Data available for all ingredients.

### **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

raste treatment methods	
	Containers may still present a chemical hazard/ danger when empty.
	Return to supplier for reuse/ recycling if possible.
	Otherwise:
	> If container can't be cleaned sufficiently well to ensure that residuals do not remain or if the container
	cannot be used to store the same product then puncture containers, to prevent re-use, and bury at an authorised landfill.
Product/Packaging disposal	Where possible retain label warnings and SDS and observe all notices pertaining to the product.
rioddolf dollaging diopoddi	Recycle wherever possible.
	Consult manufacturer for recycling options or consult local or regional waste management authority for
	disposal if no suitable treatment or disposal facility can be identified.
	Treat and neutralise at an approved treatment plant.
	> Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

#### **SECTION 14 TRANSPORT INFORMATION**

## **Labels Required**

	5.1
Marine Pollutant	
HAZCHEM	1W

## Land transport (ADG)

UN Number	2465		
UN proper shipping name	DICHLOROISOCYANURIC ACID, DRY or DICHLOROISOCYANURIC ACID SALTS		
	Class	5.1	
Transport Hazard class(es)	Sub Risk	Not Applicable	
Packing group	II		
Environmental Hazard	Not Applicable		
	Special provisions	135	





SDS No: 710 Version: V.0.0.3

Special precautions for user	Limited quantity	1 kg
oposiai pi osaatiisiis isi assi	,	3

#### Air transport (ICAO-IATA / DGR)

UN Number	2465		
UN proper shipping name	DICHLOROISOCYANURIC ACID, DRY or DICHLOROISOCYANURIC ACID SALTS		
-	ICAO/IATA Class	5.1	
Transport Hazard class(es)	ICAO/IATA Sub Risk	Not Applicable	
Packing group	II		
Environmental Hazard	Not Applicable		
Special precautions for user	Not Available		

### Sea transport (IMDG-Code / GGVSee)

UN Number	2465		
UN proper shipping name	DICHLOROISOCYANURIC ACID, DRY or DICHLOROISOCYANURIC ACID SALTS		
Transport Hazard class(es)	IMDG Class	5.1	
	IMDG Sub Risk	Not Applicable	
Packing group	II		
Environmental Hazard	Marine Pollutant		
Special precautions for user	EMS, Fire	F-H	
	EMS, Spillage	S-Q	

### Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

### **SECTION 15 REGULATORY INFORMATION**

## Safety, health and environmental regulations / legislation specific for the substance or mixture

### SODIUM DICHLOROISOCYANURATE (2893-78-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

Australia Hazardous Substances Information System - Consolidated Lists

#### CHLORINE (7782-50-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

Australia Exposure Standards

Australia Hazardous Substances Information System - Consolidated Lists

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Υ
Canada - NDSL	N
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Υ
Japan - ENCS	N
Korea - KECI	Υ





**SDS No: 710** Version: V.0.0.3

New Zealand - NZIoC	Y	
Philippines - PICCS	Υ	
USA - TSCA	Υ	
	Y = All ingredients are on the inventory	
Legend:	N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see	
	specific ingredients in brackets)	

### **SECTION 16 OTHER INFORMATION**

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

Name	CAS No		
PC-TWA	Permissible Concentration-Time Weighted Average	PC-STEL	Permissible Concentration-Short Term Exposure Limit
IARC	International Agency for Research on Cancer	ACGIH	American Conference of Governmental Industrial Hygienists
STEL	Short Term Exposure Limit	TEEL	Temporary Emergency Exposure Limit
IDLH	Immediately Dangerous to Life or Health Concentrations	OSF	Odour Safety Factor
NOAEL	No Observed Adverse Effect Level	LOAEL	Lowest Observed Adverse Effect Level
TLV	Threshold Limit Value	LOD	Limit Of Detection
оту	Odour Threshold Value	BCF	BioConcentration Factors
BEI	Biological Exposure Index		

# **END OF SDS**